

REPORT OF DRILLED WELL

DRILLING CONTRACTOR Fly Fogle Well Serv. 400 Rt 8 Box 3 Lucedale MS **License Number** _____ **Address** _____ **Zip Code** _____ **Date** _____
PROPERTY OWNER Faye Dees **Address (mailing)** Rt 1 Box 10 Deer Park AL **Zip Code** 36529

WELL LOCATION Deer Park **County** Washington **Section** S.W. **1/4 Section** 8 **Township** T3N **Range** R3W **or:** _____
 Distance and direction from nearest town, community, road junction or other reference point _____

WELL WILL BE USED FOR:

☒ Private supply
☐ Irrigation

☐ Public supply

☐ Industrial supply

☐ Test well

Other: _____

2/12/90
 Estimated starting date

Drilling method: (check) Rotary
☐ Cable tool
☐ Jetted
☐ Bored

Other: _____

4"
 Diameter of well

200'
 Estimated depth

Paul R. Fogle
 SIGNATURE of Drilling Contractor

Total Depth

265'

Completion Date

8/20/90

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
	Top soil	0-5		Pump	Type: <input type="checkbox"/> Turb. <input checked="" type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
	Clay	5-20			Intake depth <u>180</u> H.P. <u>1</u> Yield <u>20</u> gpm				
	Sandy clay	20-30		Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
	Clay	30-50			Measured Static Water Level <u>145'</u> ft.				
	Clay	50-80			Measured pumping level <u>160'</u> ft. after				
	Clay	80-100			<u>12</u> hrs. pumping <u>20</u> gpm				
	Clay	100-150		Finish	Development time prior to testing <u>5</u> hrs.				
	(Bad water) Sand	150-190			<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
	Clay	190-240			Interval(s) screened: _____ to _____ ft.				
	(good water) Sand	240-265			_____ to _____; _____ to _____ ft.				
	Sand	265-			Packer(s) set at _____ and _____ ft.				
					Screen: diam. _____; Size openings _____				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
					Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.					
				Signed: _____					

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

IT FryFogles Waterwell 400 RT8, BOX 3 Lucedale, MS
 DRILLING CONTRACTOR License Number Address Zip Code Date
Leland Williams RT1, BOX 32 Dear Park, AL 366529
 PROPERTY OWNER Address (mailing) Zip Code

Washington 25 25 T3N R3W
 WELL LOCATION County Section 1/4 Section Township Range ---or:
1 mile south of Dear Park Rd on 45 turn east 1 M. TAKE NEW Rd
 Distance and direction from nearest town, community, road junction or other reference point 2-3 miles

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

10/14/88
 Estimated starting date

Drilling method: (check)

Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2"
 Diameter of well

60'
 Estimated depth

Paul R. Fryfogle
 SIGNATURE of Drilling Contractor

Total Depth 69'

Completion Date 12/22/88

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0-5	Top Soil			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
5-20	Clay				Intake depth <u>60'</u> H.P. <u>1</u> Yield <u>7</u> gpm				
20-40	Sandy clay				Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
40-55	clay			Capacity	Measured Static Water Level <u>50</u> ft.				
55-69	Sand - coarse				Measured pumping level <u>58'</u> ft. after <u>1</u> hrs. pumping <u>8-10</u> Air Lift gpm				
					Development time prior to testing <u>NONE</u> hrs.				
				Finish	<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: <u>64</u> to <u>69</u> ft.				
					to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. _____; Size openings _____				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical			
					Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.			
					Signed: _____				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

Fry Fogle Water Well 400 Rt. 8, Box 3 Lucedale, MS 4/6/84
 DRILLING CONTRACTOR License Number Address Zip Code 39452 Date
James Dees Rt. 1, Box 38 Deer Park AL 36529
 PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION **Washington** County **8** Section **Top Left** 1/4 Section **T3N** Township **R3W** Range ---or:

1/4 mile north of Deer Park on 45

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

3/31/84
Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2"
Diameter of well

380'
Estimated depth

Paul R. Fry Fogle
SIGNATURE of Drilling Contractor

Total Depth **380'**

Completion Date **3/31/84**

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-20	SAND Top Sand.			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
20-30	Clay			Intake depth 140 H.P. 2 Yield 5.6 gpm
35-50	Sand oxide			Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
50-130	Clay			Capacity Measured Static Water Level 120' ft.
130-160	SAND + clay Red			Measured pumping level 138' ft. after
160-170	clay			2 hrs. pumping 15 gpm
170-180	Sandy clay			Development time prior to testing 2 hrs.
180-195	SAND Case (Brown)			Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
195-213	clay			Interval(s) screened: 370 to 380 ft;
213-220	SAND-Fine Gray			to _____; _____ to _____ ft.
220-228	SAND med			Packer(s) set at _____ and _____ ft.
228-230	clay			Screen: diam. 2" ; Size openings #6
230-240	SAND fine to fine 5-2 med Sand.			Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted
240-260	clay			All PVC BELL
260-270	clay			
270-280	SAND fine			
280-285	Clay			*Couplings: Threaded & Coupled (T&C) <input checked="" type="checkbox"/> Welded (W) Threaded & coupled & welded (TC&W)
285-300	SAND (fine Gray)			Other: _____
300-340	clay			*Pipe: Black; <input checked="" type="checkbox"/> PVC; Galv.; Other: _____
340-360	Sandy clay			Quality Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input checked="" type="checkbox"/> Chemical
360-380	Med sand (blue tint)			Ph 7.5 IRON 0.6
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input checked="" type="checkbox"/> Private lab.
				Signed: Mary Howard

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

IF Fryfoyle Water well 400 Rt. 8 Box 3 Lucedale, MS 2-23-82
 DRILLING CONTRACTOR License Number Address Zip Code Date
 Ralph Turner Rt 1 Deer Park Ala.
 PROPERTY OWNER Address (mailing) Zip Code

Washington 8 Deer Park T3N-R3W
 WELL LOCATION County Section 1/4 Section Township Range ---or:

1st road to right traveling north on 45 after passing by Deer Park Road, on Left Out
 Distance and direction from nearest town, community, road junction or other reference point Road to right of 45 before Hwy 17

WELL WILL BE USED FOR:

☒ Private supply
☐ Irrigation

☐ Public supply

☐ Industrial supply

☐ Test well

Other: _____

5-82
 Estimated starting date

Drilling method: (check)

Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

2"
 Diameter of well

150'
 Estimated depth

Pal R. Fryfoyle
 SIGNATURE of Drilling Contractor

Total Depth 150'

Completion Date _____

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0'-10'	Top Soil			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
10'-20'	Brown Clay				Intake depth 130' H.P. 1-HP Yield 7 gpm				
20'-40'	Fine Sand			Capacity	Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
40'-45'	Sand. med				Measured Static Water Level 100' ft.				
45'-65'	Gray Clay			Measured pumping level 120' Est only ft. after					
65'-110'	Blue clay			2 hrs. pumping 7 gpm					
110'-125'	Silt Sand			Development time prior to testing 45 min hrs.					
125'-140'	med Sand			Finish	<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input checked="" type="checkbox"/> Slotted pipe <input checked="" type="checkbox"/> Gravel pk.				
140'-150'	med Sand				Interval(s) screened: 140 to 150 ft.				
	Shale Clay				to _____; _____ to _____ ft.				
	Shale free of clay				Packer(s) set at _____ and _____ ft.				
					Screen: diam. 2" ; Size openings # 8-20				
				Casing	Interval cased 140'	Diam. (Inches)	*Type pipe PVC	*Type couplings Bell End	Interval grouted
				Quality	*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
				*Pipe: Black; PVC Galv.; Other: _____					
				Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical					
				Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.					
				Signed: Pal R. Fryfoyle					

*For deeper well please attach continuation sheet.

ADPH-F-AWWSB-1/Rev. 7-81

REPORT OF DRILLED WELL

DRILLING CONTRACTOR Porter Drilling & Sup. 316 Sh/Box 106 Waynesboro Miss Aug 6/1981
License Number _____ **Address** _____ **Zip Code** _____ **Date** _____
PROPERTY OWNER James M. Webb P.O. Box 804 Citronelle Ala. 36522
Address (mailing) _____ **Zip Code** _____
WELL LOCATION Washington 35 SW 3N 3W
County Freiburg **Section** 1/2 miles N **1/4 Section** **Township** **Range** ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply
☐ Irrigation

☐ Public supply

☐ Industrial supply

☐ Test well

Other: _____

Aug 9 1981
 Estimated starting date

Drilling method: (check)

☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4" X 2"
 Diameter of well

100'
 Estimated depth

James A. Porter
 SIGNATURE of Drilling Contractor

Total Depth 165'

Completion Date Aug 10, 1981

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level						
0-5	sand			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____					
5-15	clay				Intake depth <u>97'</u> H.P. <u>15</u> Yield <u>8</u> gpm					
15-18	sand			Capacity	Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none					
18-81	clay				Measured Static Water Level <u>78'</u> ft.					
81-83	clay to sand				Measured pumping level <u>78'</u> ft. after <u>5</u> hrs. pumping <u>15</u> gpm					
83-150	clay				Development time prior to testing <u>5</u> hrs.					
150-165	med. to med. coarse sand			Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.					
stopper while still in sand					Interval(s) screened: <u>160</u> to <u>165</u> ft.					
					to _____; _____ to _____ ft.					
					Packer(s) set at _____ and _____ ft.					
					Screen: diam. <u>2"</u> ; Size openings <u>624 SS</u>					
					Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
						0-20	4"	PVC	solvent	type
						0-160	2"	PVC	solvent	type
						*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
						Other: _____				
						*Pipe: Black; PVC; Galv.; Other: _____				
					Quality	Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
						Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
						Signed: <u>James A. Porter</u>				

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

DRILLING CONTRACTOR Porter Drilling & Log 316 Rt 1 Box 106 Waynesboro, Miss Aug 8, 1981
License Number _____ **Address** _____ **Zip Code** _____ **Date** _____
PROPERTY OWNER Don Hargard P.O. Box 5 Belle Chasse, La 70037
Address (mailing) _____ **Zip Code** _____
WELL LOCATION Washington 35 SW 3N 3W
County _____ **Section** _____ **1/4 Section** _____ **Township** _____ **Range** ---or:
1 1/2 miles N Freeburg
 Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply
☐ Irrigation

☐ Public supply

☐ Industrial supply

☐ Test well

Other: _____

Aug 11, 1981
 Estimated starting date

Drilling method: (check)
☒ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4" x 2"
 Diameter of well

100
 Estimated depth

James A. Porter
 SIGNATURE of Drilling Contractor

Total Depth 117'

Completion Date Aug 11, 1981

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-10	sand			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth <u>72</u> H.P. <u>1</u> Yield <u>10</u> gpm
10-98	clay			
98-117	fine to med sand stagnant on clay			Capacity Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>62'</u> ft. Measured pumping level <u>62'</u> ft. after <u>2</u> hrs. pumping <u>18</u> gpm Development time prior to testing <u>2</u> hrs.
				Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>112</u> to <u>117</u> ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>60 to 55</u>
				Casing Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted <u>0-20</u> <u>4"</u> <u>PVC</u> <u></u> <u>top</u> <u>0-112</u> <u>2"</u> <u>"</u> <u>sch 40</u> <u>117</u>
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____
				Quality Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.
				Signed: <u>James A. Porter</u>

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

DRILLING CONTRACTOR Porter Drilling & Sup 316 Rt 1 Box 106 Haynesboro, Miss Aug 11, 1981
License Number 2237 **Address** 2237 Suwannee Dr. Marrero La 70073 **Zip Code** 70073 **Date** Aug 11, 1981
PROPERTY OWNER Jimmy O'Brien **Address (mailing)** 2237 Suwannee Dr. Marrero La 70073 **Zip Code** 70073

WELL LOCATION Washington **County** 35 **Section** SW **1/4 Section** 3N **Township** 3W **Range** --- **or:**

Distance and direction from nearest town, community, road junction or other reference point
1 1/2 miles N. Freiburg

WELL WILL BE USED FOR:

☒ Private supply

☐ Public supply

☐ Industrial supply

☐ Test well

☐ Irrigation

Other: _____

Aug 13 1981
Estimated starting date

Drilling method: (check)

☐ Cable tool
☒ Rotary
☐ Jetted
☐ Bored

Other: _____

4" X 2"
Diameter of well

120
Estimated depth

James A. Porter
SIGNATURE of Drilling Contractor

Total Depth 118'

Completion Date Aug 13, 1981

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
0-16	sandy clay			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
16-	soft blue rock				Intake depth <u>82</u> H.P. <u>1</u> Yield <u>7</u> gpm				
16-101	clay			Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
101-103	sand				Measured Static Water Level <u>69'</u> ft.				
103-113	clay				Measured pumping level <u>69'</u> ft. after				
113-117	fine sand				<u>3</u> hrs. pumping <u>10</u> gpm				
117-118	clay				Development time prior to testing <u>3</u> hrs.				
				Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: <u>113</u> to <u>118</u> ft.				
					to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. <u>2"</u> ; Size openings <u>60 & 55</u>				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					<u>0-20</u>	<u>4"</u>	<u>P.V.C</u>	<u>sched</u>	<u>top</u>
					<u>0-113</u>	<u>2"</u>	<u>P.V.C</u>	<u>sched</u>	<u>top</u>
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical			
					Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.			
					Signed: <u>James A. Porter</u>				

*For deeper well please attach continuation sheet.

II

REPORT OF DRILLED WELL

164

Walton E. Haertel - 157 - Fruitdale, Ala. July 6, 1976

DRILLING CONTRACTOR

License Number

Address

Zip Code

Date

Marvin Turner Jr. Dees Park, Ala.

36588

PROPERTY OWNER

Address (mailing)

Zip Code

Dees Park, Wash 30 N.E. T3N R3W

WELL LOCATION

County

Section

1/4 Section

Township

Range ---or:

Turn South at R.R. crossing and go one mile

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒ Private supply☐ Public supply☐ Industrial supply☐ Test well☐ Irrigation

Other: _____

July 7, 1976

Drilling method: (check)

Cable tool

☒ Rotary

Jetted

Bored

Other: _____

2" Diameter of well

350 ft. Estimated depth

Walton E. Haertel

SIGNATURE of Drilling Contractor

Total Depth 172 ft.

Completion Date July 30, 1976

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
				Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
					Intake depth 60 ft. H.P. 1 Yield 12 gpm				
				Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
					Measured Static Water Level 41 ft.				
					Measured pumping level _____ ft. after _____ hrs. pumping _____ gpm				
					Development time prior to testing _____ hrs.				
				Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: 162 to 172 ft.				
					_____ to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. 2" ; Size openings No 8				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					0-162	2"	P.V.C	Bell	0-25
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical			
					Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.			
					Signed: Walton E. Haertel				

*For deeper well please attach continuation sheet.

II

REPORT OF DRILLED WELL

135

Walton E. Haertel - 157 - Fruitdale Ala.

36539

JAN. 1975

DRILLING CONTRACTOR

License Number

Address

Zip Code

Date

Larry Odom - Deer Park, Ala.

PROPERTY OWNER

Address (mailing)

36539

Zip Code

Deer Park

Wash

18

1/4 W.

T3N

R3W

WELL LOCATION

County

Section

1/4 Section

Township

Range ---or:

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

☒

Private supply

☐

Public supply

☐

Industrial supply

☐

Test well

☐

Irrigation

Other: _____

JAN. 1975

Estimated starting date

Drilling method: (check)

Cable tool

☒ Rotary

Jetted

Bored

Other: _____

2"

Diameter of well

320

Estimated depth

Walton E. Haertel

SIGNATURE of Drilling Contractor

Total Depth

342 ft.

Completion Date

JAN. 24, 1975

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level					
				Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____				
					Intake depth _____ H.P. _____ Yield _____ gpm				
				Capacity	Tested by: <input checked="" type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none				
					Measured Static Water Level 119 ft.				
					Measured pumping level _____ ft. after _____ hrs. pumping 12 gpm				
					Development time prior to testing 10 MIN. hrs.				
				Finish	<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.				
					Interval(s) screened: 332 to 342 ft.				
					_____ to _____; _____ to _____ ft.				
					Packer(s) set at _____ and _____ ft.				
					Screen: diam. 2" ; Size openings 8540T				
				Casing	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
					0-332	2	P.V.C	BELL	0-20
					*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)				
					Other: _____				
					*Pipe: Black; PVC; Galv.; Other: _____				
				Quality	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Bacteriological	<input type="checkbox"/> Chemical	
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
					Signed: Walton E. Haertel				

*For deeper well please attach continuation sheet.

GEOLOGICAL SURVEY
STATE
OIL AND GAS BOARD

FEB 20 9 20 AM '75

RECEIVED

Well capped off.
No pump installed.

II

REPORT OF DRILLED WELL

110

Walton E. Haentel-157 Fruitdale, Ala 36539-June 20, 1975

DRILLING CONTRACTOR License Number Address Zip Code Date

Wade Odom Deer Park, Ala.
PROPERTY OWNER Address (mailing) Zip Code

Wash 28 NE T3N R3W
WELL LOCATION County Section 1/4 Section Township Range ---or:

1 1/2 miles south of Deer Park east of highway 45
Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR: ☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well ☐ Irrigation Other: _____

June 23, 1975 Estimated starting date Drilling method: (check) Cable tool Rotary Jetted Bored 2" Diameter of well 300ft. Estimated depth Other: _____

Walton E. Haentel
SIGNATURE of Drilling Contractor

Total Depth 314ft. Completion Date July 8, 1975

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level										
				Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____ Intake depth _____ H.P. <u>2</u> Yield <u>8</u> gpm										
				Capacity Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none Measured Static Water Level <u>81</u> ft. Measured pumping level <u>(don't know)</u> ft. after _____ hrs. pumping _____ gpm Development time prior to testing <u>1 hr.</u> hrs.										
				Finish <input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk. Interval(s) screened: <u>304</u> to <u>314</u> ft.; _____ to _____; _____ to _____ ft. Packer(s) set at _____ and _____ ft. Screen: diam. <u>2"</u> ; Size openings <u>8 slot</u>										
				Casing <table border="1"> <thead> <tr> <th>Interval cased</th> <th>Diam. (Inches)</th> <th>*Type pipe</th> <th>*Type couplings</th> <th>Interval grouted</th> </tr> </thead> <tbody> <tr> <td><u>304-314</u></td> <td><u>2"</u></td> <td><u>P.V.C</u></td> <td><u>Bell</u></td> <td><u>0-15+</u></td> </tr> </tbody> </table> *Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W) Other: _____ *Pipe: Black; PVC; Galv.; Other: _____	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted	<u>304-314</u>	<u>2"</u>	<u>P.V.C</u>	<u>Bell</u>	<u>0-15+</u>
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted										
<u>304-314</u>	<u>2"</u>	<u>P.V.C</u>	<u>Bell</u>	<u>0-15+</u>										
				Quality <table border="1"> <tbody> <tr> <td>Water analysis obtained? (check)</td> <td> <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical </td> </tr> <tr> <td>Analysis by:</td> <td> <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab. </td> </tr> <tr> <td colspan="2">Signed: <u>Walton E. Haentel</u></td> </tr> </tbody> </table>	Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical	Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.	Signed: <u>Walton E. Haentel</u>					
Water analysis obtained? (check)	<input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical													
Analysis by:	<input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.													
Signed: <u>Walton E. Haentel</u>														

GEOLOGICAL SURVEY
 STATE
 OIL AND GAS BOARD
 JUL 11 9 04 AM '75
 RECEIVED

*For deeper well please attach continuation sheet.

III Fry Fogle WATER WELL CO 400 RT8, Box 3 Lucedale, MS 9-17-87
 DRILLING CONTRACTOR License Number Address Zip Code Date

Date _____

36607

Zip Code R 312

RBW

Range — — or:

Distance and direction from nearest town, community, road junction or other reference point

Test
well

Other: _____

Cable tool
Rotary
Jetted
Bored

Other: _____

100'
Estimated
depth

Paul R. Fuzgale
SIGNATURE of Drilling Contractor

Total Depth 140'

Completion Date 9-19-87

Interval	Description of cuttings	Interval	Description of cuttings		Completion date: report depths below ground level																									
0-5	top Soil			Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____																									
5-20	Clay				Intake depth _____ H.P. <u>1</u> Yield <u>5</u> gpm																									
20-25	Sand			Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none																									
25-80	Clay				Measured Static Water Level <u>100'</u> ft.																									
80-120	Clay				Measured pumping level <u>110</u> ft. after <u>air lift</u>																									
120-140	fine Sand				<u>1/2</u> hrs. pumping <u>10</u> gpm																									
					Development time prior to testing <u>5-min.</u> hrs.																									
				Finish	<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.																									
					Interval(s) screened: _____ to _____ ft.																									
					_____ to _____; _____ to _____ ft.																									
					Packer(s) set at _____ and _____ ft.																									
					Screen: diam. _____; Size openings _____																									
				Casing	<table border="1"> <thead> <tr> <th>Interval cased</th><th>Diam. (Inches)</th><th>*Type pipe</th><th>*Type couplings</th><th>Interval grouted</th></tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted																				
Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted																										
					*Couplings: Threaded & Coupled (T&C) <u>Welded (W)</u>																									
					Threaded & coupled & welded (TC&W)																									
					Other: _____																									
					*Pipe: Black <u>PVC</u> Galv.; Other: _____																									
				Quality	Water analysis obtained? (check) <input checked="" type="checkbox"/> No																									
					<input type="checkbox"/> Bacteriological																									
					<input type="checkbox"/> Chemical																									
					Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv.																									
					<input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.																									
					Signed: _____																									

*For deeper well please attach continuation sheet.

REPORT OF DRILLED WELL

DRILLING CONTRACTOR Ernest Eagle Well Serv License Number 400 Address 194 Depot Rd Zip Code Mississippi 39452 Date

PROPERTY OWNER Address (mailing) Zip Code

WELL LOCATION Basel E Odom County PO Box 97 Deer Park Section 36529 Township Range or:

Highway 457 citrus Washington SW 2 T3N R3W

Distance and direction from nearest town, community, road junction or other reference point

WELL WILL BE USED FOR:

<input checked="" type="checkbox"/> Private supply	<input type="checkbox"/> Public supply	<input type="checkbox"/> Industrial supply	<input type="checkbox"/> Test well
<input type="checkbox"/> Irrigation	Other: <u> </u>		

9-23-98 Estimated starting date Drilling method: (check) Rotary Jetted Bored Cable tool Other:

2" Diameter of well 100' Estimated depth

Paul R Eagle SIGNATURE of Drilling Contractor

Total Depth 70'

Completion Date 10-23-98

Interval	Description of cuttings	Interval	Description of cuttings	Completion date: report depths below ground level
0-5	top Soil			Pump Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl.; Other: _____
5-20	clay			Intake depth <u>55'</u> H.P. <u>1</u> Yield <u>10</u> gpm
20-50	clay			Tested by: <input type="checkbox"/> pumping <input checked="" type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none
50-70	Sand			Measured Static Water Level <u>40</u> ft.
				Measured pumping level <u>45</u> ft. after
				<u>1</u> hrs. pumping <u>10</u> gpm
				Development time prior to testing <u>1/2</u> hrs.
				<input type="checkbox"/> Open hole <input checked="" type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input type="checkbox"/> Gravel pk.
				Interval(s) screened: <u>60</u> to <u>70</u> ft.
				to _____; to _____
				Packer(s) set at <u>45</u> and _____ ft.
				Screen: diam. <u>2"</u> ; Size openings <u>#8</u>
				Interval cased Diam. (Inches) *Type pipe *Type couplings Interval grouted
				<u>0-60</u> <u>2"</u> <u>PVC</u> <u>W</u> <u>top 20</u>
				*Couplings: Threaded & Coupled (T&C) Welded (W) Threaded & coupled & welded (TC&W)
				Other: _____
				*Pipe: Black; PVC; Galv.; Other: _____
				Water analysis obtained? (check) <input checked="" type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical
				Analysis by: <input type="checkbox"/> Ala. Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala. Health Dept. <input type="checkbox"/> Private lab.
				Signed: _____

*For deeper well please attach continuation sheet.

NOTIFICATION OF INTENT TO DRILL A WATER WELL AND CERTIFICATION OF COMPLETION

HH

Drilling Contractor: Howard W. Drilling License Number: 592 Address: PO Box 1052 Zip Code: Tuscaloosa MS 36452
 Date: _____
 Property Owner: Tom Turner Address (mailing): PO Box 18 Zip Code: 36581

Well Location: 6 miles SE Deer Park County: Washington Township: T3N Range: R4W Section: 31 1/4 Section: _____
 Distance and direction from nearest town, community, road junction or other reference point: _____

WELL TO BE USED FOR:

- ☒ Private supply ☐ Public supply ☐ Industrial supply ☐ Test well ☐ Monitoring well

☐ Irrigation

Other: _____

LOCATION OF WELL:

Latitude: 31°11'084

Longitude: 088°25'380

Diameter of well: 2"

Estimated depth: 70

Drilling Method: ☐ Cable tool

☒ Rotary

☐ Jetted

☐ Bored

☐ Other: _____

Estimated starting date: _____

SIGNATURE of Drilling Contractor

Total Depth: 68'

Completion Date: 9-15-04

Interval	Description of cuttings	Completion date: report depths below ground level					
0-3	top clay	Pump	Type: <input type="checkbox"/> Turb. <input type="checkbox"/> Subm. <input checked="" type="checkbox"/> Jet <input type="checkbox"/> Cyl Other: _____	Intake depth <u>50</u> H.P. <u>1</u> Yield <u>8</u> gpm			
3-10	clay		Capacity	Tested by: <input type="checkbox"/> pumping <input type="checkbox"/> air lift <input type="checkbox"/> bailer <input type="checkbox"/> none	Measured Static Water Level <u>30</u> ft.		
10-20	soft clay	Measured pumping level <u>10</u> ft. after		1 1/2 hrs. pumping <u>8</u> gpm			
20-50	sand	Development time prior to testing _____ hrs.					
50-68	coarse sand	Finish	<input type="checkbox"/> Open hole <input type="checkbox"/> Screened <input type="checkbox"/> Slotted pipe <input checked="" type="checkbox"/> Gravel pk.	Interval(s) screened: <u>58</u> to <u>68</u> ft.			
			to _____; _____ to _____ ft.				
			Packer(s) set at _____ and _____ ft.				
		Casing	Screen: diam. <u>2</u> ; Size openings <u>10</u>				
			Interval cased	Diam. (Inches)	*Type pipe	*Type couplings	Interval grouted
				<u>2"</u>	<u>PVC40</u>	<u>Belland</u>	
			Couplings: <input type="checkbox"/> Threaded & Coupled (T&C) <input type="checkbox"/> Welded (W) <input type="checkbox"/> Threaded & coupled & welded (TC&W)				
			Other: _____				
		Quality	*Pipe: Black (PCV) Galv.; Other: _____				
			Water analysis obtained? (check) <input type="checkbox"/> No <input type="checkbox"/> Bacteriological <input type="checkbox"/> Chemical				
			Analysis by: <input type="checkbox"/> Ala Geol. Surv. <input type="checkbox"/> U.S. Geol. Surv. <input type="checkbox"/> Ala Health Dept. <input type="checkbox"/> Private lab.				
		Signed Certification: _____					

*For deeper well please attach continuation sheet.

Send WHITE copy to:
ALABAMA GEOLOGICAL SURVEY
P.O. BOX 869999
TUSCALOOSA, AL 35486

Send YELLOW and PINK copies to:
ADEM DRINKING WATER BRANCH
P.O. BOX 301463
MONTGOMERY, AL 36130-1463

Retain GOLD copy for your Records